

L Number	Hits	Search Text	DB	Time stamp
1	18468	(track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:31
12	9749	(translat\$3 or compil\$3) with (source adj (code or program\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:10
13	878	(717/118 or 717/128 or 717/147 or 717/148).class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:02
19	104082	memory with (load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:09
20	908693	memory with (stor\$3 or sav\$3 or writ\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:08
41	340772	execut\$3 with (function\$1 or method\$1 or program\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:41
44	17139	(function\$1) with memory with access\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:43
47	1671	(program\$1 or code or function\$1 or method\$1) with (pass\$3 or referenc\$3) with (data or variable\$1 or parameter\$1) with pointer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:53
48	164	((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2)) and ((program\$1 or code or function\$1 or method\$1) with (pass\$3 or referenc\$3) with (data or variable\$1 or parameter\$1) with pointer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:53
49	100	((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2)) and ((program\$1 or code or function\$1 or method\$1) with (pass\$3 or referenc\$3) with (data or variable\$1 or parameter\$1) with pointer\$1)) and (memory with (load\$3)) and (memory with (stor\$3 or sav\$3 or writ\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:53
50	42	((function\$1) with memory with access\$2) and (((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2)) and ((program\$1 or code or function\$1 or method\$1) with (pass\$3 or referenc\$3) with (data or variable\$1 or parameter\$1) with pointer\$1)) and (memory with (load\$3)) and (memory with (stor\$3 or sav\$3 or writ\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:54

51	21	((function\$1) with memory with access\$2) and (((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2)) and ((program\$1 or code or function\$1 or method\$1) with (pass\$3 or referenc\$3) with (data or variable\$1 or parameter\$1) with pointer\$1)) and (memory with (load\$3)) and (memory with (stor\$3 or sav\$3 or writ\$3))) and ((translat\$3 or compil\$3) with (source adj (code or program\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:54
52	21	((function\$1) with memory with access\$2) and (((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2)) and ((program\$1 or code or function\$1 or method\$1) with (pass\$3 or referenc\$3) with (data or variable\$1 or parameter\$1) with pointer\$1)) and (memory with (load\$3)) and (memory with (stor\$3 or sav\$3 or writ\$3))) and ((translat\$3 or compil\$3) with (source adj (code or program\$1))) and (execut\$3 with (function\$1 or method\$1 or program\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:55
53	118	(platform near2 independent) with bytecode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 10:32
55	71	((translat\$3 or compil\$3) with (source adj (code or program\$1))) and ((platform near2 independent) with bytecode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 10:33
57	11	((translat\$3 or compil\$3) with (source adj (code or program\$1))) and ((platform near2 independent) with bytecode)) and ((717/118 or 717/128 or 717/147 or 717/148).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 10:34
58	26	((translat\$3 or compil\$3) with (source adj (code or program\$1))) with ((platform near2 independent) with bytecode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 10:34
59	2	((translat\$3 or compil\$3) with (source adj (code or program\$1))) with ((platform near2 independent) with bytecode)) and ((717/118 or 717/128 or 717/147 or 717/148).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 10:36
60	42	((execut\$3 with ((function\$1 or method\$1) with pointer\$1)) and ((translat\$3 or compil\$3) with (source adj (code or program\$1))) and ((717/118 or 717/128 or 717/147 or 717/148).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:24
61	4	((execut\$3 with ((function\$1 or method\$1) with (memory with (load\$3 near3 (instruction\$1 or operation\$1 or code)))) and (execut\$3 with ((function\$1 or method\$1) with (memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code)))))) and ((717/118 or 717/128 or 717/147 or 717/148).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:25
62	1	((memory near3 transfer\$4) with ((partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3 or typ\$3 or classif\$6 or categor\$7 or separat\$3 or sort\$3 or distribut\$3) with (software or code or hardware or function\$7 or operation\$1 or system\$1))) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory near4 access\$2))) and ((717/118 or 717/128 or 717/147 or 717/148).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:26

63	25	((memory near3 transfer\$4) with ((partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3 or typ\$3 or classif\$6 or categor\$7 or separat\$3 or sort\$3 or distribut\$3) with (software or hardware or system\$1))) and ("717").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:26
-	518	execut\$3 with ((function\$1 or method\$1) with (memory with (load\$3 near3 (instruction\$1 or operation\$1 or code))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:40
-	4502	execut\$3 with ((function\$1 or method\$1) with (memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:49
-	34	((translat\$3 or compil\$3) with (source adj (code or program\$1))) same ((platform near2 independent) with bytecode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:29
-	487284	(execut\$3 or run\$4) with (program\$1 or code or function\$1 or method\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:52
-	8239	((execut\$3 or run\$4) with (program\$1 or code or function\$1 or method\$1)) and ((program\$1 or code or function\$1 or method\$1) with (data or variable\$1) with pointer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:31
-	19	((translat\$3 or compil\$3) with (source adj (code or program\$1))) same ((platform near2 independent) with bytecode)) and (((execut\$3 or run\$4) with (program\$1 or code or function\$1 or method\$1)) and ((program\$1 or code or function\$1 or method\$1) with (data or variable\$1) with pointer\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:03
-	210	(execut\$3 with ((function\$1 or method\$1) with (memory with (load\$3 near3 (instruction\$1 or operation\$1 or code)))) and (execut\$3 with ((function\$1 or method\$1) with (memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:24
-	70	((identif\$7 or log or logs or logged or logging or document\$3 or track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with ((memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code))) or (memory with (load\$3 near3 (instruction\$1 or operation\$1 or code)))) and ((execut\$3 with ((function\$1 or method\$1) with (memory with (load\$3 near3 (instruction\$1 or operation\$1 or code)))) and (execut\$3 with ((function\$1 or method\$1) with (memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:29
-	13697	(track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory near4 access\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:42

-	22	((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory near4 access\$2)) and ((execut\$3 with ((function\$1 or method\$1) with (memory with (load\$3 near3 (instruction\$1 or operation\$1 or code)))) and (execut\$3 with ((function\$1 or method\$1) with (memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:10
-	16	(((((translat\$3 or compil\$3) with (source adj (code or program\$1))) same ((platform near2 independent) with bytecode)) and (((execut\$3 or run\$4) with (program\$1 or code or function\$1 or method\$1)) and ((program\$1 or code or function\$1 or method\$1) with (data or variable\$1) with pointer\$1))) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory near4 access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:59
-	3036	(memory near3 transfer\$4) with ((partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3 or typ\$3 or classif\$6 or categor\$7 or separat\$3 or sort\$3 or distribut\$3) with (software or code or hardware or function\$7 or operation\$1 or system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:20
-	199	((memory near3 transfer\$4) with ((partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3 or typ\$3 or classif\$6 or categor\$7 or separat\$3 or sort\$3 or distribut\$3) with (software or code or hardware or function\$7 or operation\$1 or system\$1))) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory near4 access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:17
-	6989	("717").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:18
-	10	((memory near3 transfer\$4) with ((partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3 or typ\$3 or classif\$6 or categor\$7 or separat\$3 or sort\$3 or distribut\$3) with (software or code or hardware or function\$7 or operation\$1 or system\$1))) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory near4 access\$2))) and (("717").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:18
-	1690	(memory near3 transfer\$4) with ((partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3 or typ\$3 or classif\$6 or categor\$7 or separat\$3 or sort\$3 or distribut\$3) with (software or hardware or system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:20
-	130	((memory near3 transfer\$4) with ((partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3 or typ\$3 or classif\$6 or categor\$7 or separat\$3 or sort\$3 or distribut\$3) with (software or hardware or system\$1))) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory near4 access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:24
-	33183	partition\$3 with (software or hardware or system\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:20

-	66	(memory near3 transfer\$4) with (partition\$3 with (software or hardware or system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:20
-	804	(partition\$3 with (software or hardware or system\$1)) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:22
-	54	((partition\$3 with (software or hardware or system\$1)) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2))) and (memory adj transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:21
-	39242	partition\$3 with (software or hardware or memory or system\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:22
-	1254	(partition\$3 with (software or hardware or memory or system\$1)) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:20
-	1326	transfer\$4 with (partition\$3 with (software or hardware or memory or system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:22
-	83	(transfer\$4 with (partition\$3 with (software or hardware or memory or system\$1))) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:22
-	1445	(memory with (load\$3 near3 (instruction\$1 or operation\$1 or code))) and (partition\$3 with (software or hardware or memory or system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:29
-	1144	((memory with (load\$3 near3 (instruction\$1 or operation\$1 or code))) and (partition\$3 with (software or hardware or memory or system\$1))) and (memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:30
-	182	((memory with (load\$3 near3 (instruction\$1 or operation\$1 or code))) and (partition\$3 with (software or hardware or memory or system\$1))) and (memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code))) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:30
-	64	((memory with (load\$3 near3 (instruction\$1 or operation\$1 or code))) and (partition\$3 with (software or hardware or memory or system\$1))) and (memory with ((stor\$3 or sav\$3 or writ\$3) near3 (instruction\$1 or operation\$1 or code))) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2))) and (memory adj transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:35

-	29	(US-6546454-\$ or US-6021273-\$ or US-6275985-\$ or US-5583988-\$ or US-5956507-\$ or US-5875335-\$ or US-5918005-\$ or US-6189088-\$ or US-6622235-\$ or US-6631460-\$ or US-5142680-\$ or US-6347396-\$ or US-6463584-\$ or US-6684268-\$ or US-6636945-\$ or US-6078520-\$ or US-5487173-\$ or US-5566349-\$ or US-5625825-\$ or US-6751583-\$ or US-6411984-\$ or US-6253281-\$ or US-5838904-\$ or US-5809309-\$ or US-5802287-\$ or US-4972314-\$).did. or (US-20030140337-\$ or US-20030101350-\$ or US-20010038742-\$).did.	USPAT; US-PGPUB	2004/09/10 18:17
-	21	((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2)) and ((US-6546454-\$ or US-6021273-\$ or US-6275985-\$ or US-5583988-\$ or US-5956507-\$ or US-5875335-\$ or US-5918005-\$ or US-6189088-\$ or US-6622235-\$ or US-6631460-\$ or US-5142680-\$ or US-6347396-\$ or US-6463584-\$ or US-6684268-\$ or US-6636945-\$ or US-6078520-\$ or US-5487173-\$ or US-5566349-\$ or US-5625825-\$ or US-6751583-\$ or US-6411984-\$ or US-6253281-\$ or US-5838904-\$ or US-5809309-\$ or US-5802287-\$ or US-4972314-\$).did. or (US-20030140337-\$ or US-20030101350-\$ or US-20010038742-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:17
-	725	partition\$3 with software with hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:49
-	108	((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2)) and (partition\$3 with software with hardware )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:36
-	2	((partition\$3 with software with hardware ) and (memory adj transfer)) and ((track\$3 or record\$3 or report\$3 or list\$3 or trace\$1 or tracing) with (memory with access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:40
-	26	(partition\$3 with software with hardware ) and (memory adj transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:38
-	14375	(track\$3 or record\$3 or report\$3 or trace\$1 or tracing) with (memory with access\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:48
-	50	((track\$3 or record\$3 or report\$3 or trace\$1 or tracing) with (memory with access\$2)) and (partition\$3 with software with hardware )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 08:57
-	20059	(monitor\$3 or track\$3 or record\$3 or report\$3 or trace\$1 or tracing) with (memory with access\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 18:48

-	53	(partition\$3 with software with hardware ) and ((monitor\$3 or track\$3 or record\$3 or report\$3 or trace\$1 or tracing) with (memory with access\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 18:49
---	----	---	---	------------------